


STACK FILE

W

PUBLIC LIBRARY
MAR 7 1933
DETROIT


DETROIT PUBLIC LIB.
DETROIT, MICH.
JAN 13-1933

AMERICAN FRUIT GROWER



F
E
B
R
U
A
R
Y

1
9
3
3



1933 FRUIT CROP OUTLOOK
OIL EMULSIONS FOR SCALE ON PEACH
QUALITY FRUIT PRODUCTION
APPLE MARKETING GIVES UNEMPLOYMENT RELIEF

TEN
CENTS
A COPY



SUNOCO

SELF
EMULSIFYING

SPRAY

NO EXTRA CHARGE
for Delivery To Your Railroad Station

SUNOCO SPRAY CONTROLS

Scale, Aphis, Red Mite and Apple Red Bug



Get this FREE folder which shows you how to increase the profits from your orchards and gives spray schedules.

SUNOCO Spray will kill these ruinous pests with just one spraying at the delayed dormant stage. It has been used by leading orchardists for years with great success.

Reduce Spraying Cost—This Year

Sunoco Self-Emulsifying Spray costs you less this year than ever before. By effecting economies in production and selling we have been able to make a substantial reduction in prices.

Always economical to use, SUNOCO now saves you more money than ever.

WRITE FOR DESCRIPTIVE LITERATURE AND THE NEW LOWER PRICES

Send me (FREE)
Spray Schedules for
fruits and quote new low prices.

Name.....

Address.....

My dealer's name.....

Address.....

Mail to SUNOCO Spray Dept. F
SUN OIL COMPANY
1608 Walnut Street Philadelphia, Pa.

SUNOCO

SELF
EMULSIFYING

SPRAY

**MADE BY SUN OIL COMPANY
PHILADELPHIA**

Producers of Blue Sunoco Motor Fuel

AMERICAN FRUIT GROWER

REF. STACK 5

(Title Registered in U. S. Patent Office)

VOLUME 53

FEBRUARY, 1933

NUMBER 2

Published Monthly, January to March,
Quarterly, April to December, by

CHESTER G. CAMPBELL

Editor and Lessee

75 West Van Buren Street
CHICAGO, ILL.

SUBSCRIPTION RATES

Domestic, except Chicago

Twenty-five Cents per Year

City of Chicago and Foreign,

One Year 50c

Canada (inc. tax) 75c Year

Entered as second class matter Jan. 22,
1931, at the Post Office at Chicago, Ill.,
under Act of March 3, 1879

IN THIS ISSUE

Editorial Page	3
The 1933 Outlook for Fruit Crops..	4
Oil Emulsions for Scale on Peach Trees	5
Questions and Comment.....	6
Quality Fruit Aim of Wisconsin Growers	8
Liquid Bait for Japanese Beetles....	8
Motor Trucking to Los Angeles In- creasing	8
The 1933 Apple Outlook.....	9
The Peach Outlook	10
Roadside Marketing in Maryland....	11
New Apple Insect in Empire State..	13
Cyanamid Keeps Soil Sweet.....	13
Apple Marketing Gives Unemploy- ment Relief	14

OUR ADVERTISERS

Allen Co., W. F.—Strawberry Plants	10
Am. Cyanamid Co.—Fertilizer.....	8
Am. Farm Machine Co.—Tractors....	8
American Seed Co.—Garden Seed..	8
American Telephone & Telegraph Co.	9
Bannerman Sons, Francis—Firearms.	13
Barrett Company, The—Fertilizer...	10
Bean Mfg. Co., John—Power Sprayers	11
Brooks Appliance Co.—Medical Sup- plies	13
General Chemical Co.—InsecticidesThird Cover	6
Golden State Sales Corp.—Spreader.	6
Grasselli Chemical Company, The— Insecticides	Back Cover
Hardie Mfg. Co., The—Sprayers....	14
International Harvester Co.—Trucks	7
Kitselman Bros.—Fencing	13
Maloney Bros. Nursery Co., Inc....	13
Morrison Hotel	13
Myers & Bro. Co., The F. E.—Spray Pumps	10
Nicotine Prod. Corp.—Insecticides..	14
Standard Engine Co.—Tractors.....	10
Sun Oil Co.—Insecticides.. Second Cover	11
Tanglefoot Co., The—Insecticides..	11
Tobacco By-Products & Chemical Corp.—Insecticides	8
Walsh Tractor Co.—Tractors.....	10

EDITORIAL

ON ACCOUNT of circumstances quite beyond control of the present publishers of AMERICAN FRUIT GROWER, the issues for the months of January and February have been mailed at a date unusually late. It is believed that most of the difficulties that appear to beset the paths of agricultural publications during these trying times are, in the case of this journal, in fair prospect of solution.

The issue of AMERICAN FRUIT GROWER for March will immediately follow this issue and should be in the hands of our subscribers within three weeks. Under plans as contemplated at present, the remaining issues of 1933 will consist of three quarterly numbers, one each for Spring, Summer and Fall, making a total of six magazines for the year.

It is the hope of the publishers to restore the monthly issuance of this magazine at the earliest possible date, but it is believed that for the present the magazine can best serve the fruit industry by appearing monthly for the first three months of the year and quarterly for the remainder of the year. Needless to state, every effort will be made to fill these quarterly issues with material that is most timely for the period of the year covered by each issue.

During the period it is found necessary to issue the magazine six times a year the subscription price will be reduced to 25 cents a year to domestic addresses.

THE RAPIDITY with which successive blows at the existing economic order have fallen during recent days gives hope that at last we may be nearing the end of the great depression, if indeed we have not actually reached the bottom.

Before these words appear in type the country may have left the gold standard. In the case of other countries where this bold step has been taken it was followed by a raising of price levels and a noticeable resumption of industrial activity.

Much of this activity, in the case of other countries, was due to the fact that it was possible in such cases to increase imports to America—the exchange rate offsetting our tariff levies—thus stimulating industry in those countries at the expense of American enterprise. American desertion of the gold standard would at least plug this hole in our defenses, and may do a good deal more.

The American fruit industry has been at a particular disadvantage in the export markets from unfavorable exchange rates against foreign currencies. This situation, if restored to normal by a revaluation of foreign currencies, may reopen some desirable markets for American fruits relieving the pressure of overproduction in the home markets and sending upward the levels of fruit prices.

With the abandonment of the gold standard by this country, succeeding events may prove we have held to this standard too long, perhaps for a year longer than was necessary or desirable.

THE 1933 OUTLOOK FOR FRUIT CROPS

FOR THE country as a whole there are sufficient fruit trees to produce continued heavy commercial supplies in years of favorable weather conditions. The low prices during recent years are resulting in some neglect of trees and, if they continue, may be reflected in curtailed production within a few years. Production costs have been reduced but rail freight rates have not been lowered materially and for many growers, particularly those located at considerable distance from market, the transportation charges constitute a large part of the low current market price. Growers within a few hundred miles of their markets are making greater use of the motor truck in marketing. The export outlook for fruits is uncertain and is complicated by such factors as the prospective increases in foreign fruit production, increased tariffs, import restrictions, depreciated exchange, and general business conditions.

The combined production of the 10 more important fruits has been increasing at an average of about one per cent annually for the last 10 years. As the result of unfavorable weather conditions during 1932 and the tendency toward alternate bearing of some of the fruits, the combined production in 1932 of 10 of the more important fruit crops

Farm prices of fruits have declined steadily since 1929 and in 1932 reached the lowest level in at least 10 years. These price declines were largely the result of reduced consumer purchasing power, some reduction in foreign demand, and the general decline in commodity prices.

The precipitous price decline since 1929 placed fruit producers in a decidedly difficult position. Costs, for the most part, remained high relative to returns for the product. In the 1932-33 season, however, production costs, with the exception of rail freight rates, had been lowered considerably and many growers who were located relatively near the markets and had moderate transportation costs found even the low prices for fruit yielded some margin over cash expenses of production. For many producers far distant from market the situation during the 1932-33 season is proving even worse or at least no better than during the two years preceding. In these areas transportation costs are such a large proportion of the total production and marketing cost that savings in expense, such as for labor, spray material, and machinery, are of relatively minor importance.



Low fruit prices over the past three years have resulted in the abandonment or neglect of a number of orchards, especially in regions distant from market.

In other cases, in locations near to markets, production is being stepped up by improved cultural practices, spraying and pruning.



was about 10,245,000 tons, which is about 15 per cent less than the quantity produced in 1931, 13 per cent less than that in 1930, but about 12 per cent more than the crop of 1929. Comparisons of the size of the individual crops produced in 1932 with the size of these crops in 1931 show the following crops to be smaller by the following percentages: Apples about 31 per cent, peaches 40 per cent, pears 6 per cent, dried prunes 15 per cent, oranges 2 per cent, grapefruit 13 per cent, and lemons 10 per cent. On the other hand, the following crops were larger by the following percentages: Grapes 33 per cent, fresh prunes 31 per cent, and cherries 14 per cent.

Production of all citrus for the five years 1919-1923 averaged 27 pounds per capita as compared with 42 pounds, the average for the period, 1927-1931. Orange production increased from 19 pounds per capita in the former period to 29 pounds in the latter; grapefruit increased from 5 pounds to 9 pounds, and lemons from 3 pounds to 4 pounds. A similar comparison for other fruits shows that apples declined from an average of 77 pounds per capita in the period 1919 to 1923 to an average of 64 pounds in the five years 1927 to 1931, and grapes declined from 39 pounds to 36 pounds, largely as the result of the short 1931 crop. Peaches increased from 21 pounds to 23 pounds and pears, from 7 pounds to 10 pounds, thus making a net increase for these seven fruits from 195 pounds to 205 pounds. Imports of bananas averaged 24 pounds per capita in the period 1919-1923 as compared with an average of 30 pounds for the last five years (1927-1931).



In the better portions of those sections close to market centers there has been, as yet, little or no abandonment of orchards; neglect has not been serious. In the sections more distant from the large markets there has been some abandonment and neglect in the case of certain fruit crops. If present conditions continue for some time to come, tree neglect, removal, and abandonment, may become general, thereby reducing the potential producing capacity in the fruit industry and thus reducing supplies. Even though business conditions should improve materially in the near future, efforts of European countries to expand and modernize their fruit industries will mean that the expected increasing supplies of those fruits of which there is an export surplus in this country will meet with increasing competition from foreign sources. This suggests the continuation of difficulties in the marketing of large fruit crops in this country.

OIL EMULSIONS FOR SCALE ON PEACH TREES

By OLIVER I. SNAPP

LUBRICATING-OIL emulsions have come into general use for the control of the San Jose scale on deciduous fruit trees. When they were first recommended some growers doubted their safety on peach trees, and as a consequence experiments on their use on peach trees were started during the fall of 1922 at Fort Valley, Ga., by the U. S. Bureau of Entomology. The same trees were treated with the emulsion yearly for eight consecutive years, with no discernible injury to the buds, twigs, or collars, and with excellent scale control. Therefore, its use with safety on peach trees is assured.

Since lubricating-oil emulsion is not caustic it is easier to handle than lime-sulphur, and since spray men will not be trying to dodge a charge of it, a more thorough job of spraying can be accomplished. Furthermore, it is not so hard on spray machinery, harness, and clothing as the caustic sprays. Lubricating-oil emulsions can be used earlier in the dormant season in the South than lime-sulphur, as bud wood before it is hardened by cold weather does not seem to be affected by the emulsion. They should not be used while the trees are in foliage, as the leaves interfere with spraying the twigs, and furthermore partial defoliation will result.

A three per cent lubricating-oil emulsion is recommended on peach trees in the South. Manufacturers are placing on the market concentrated lubricating-oil emulsions containing from 66⅔ to 83 per cent of oil by volume. Most of the concentrates sold in the South contain approximately 66⅔ per cent of oil, and to make a three per cent emulsion, nine gallons of such a concentrated emulsion to 191 gallons of water should be used. Growers should know the oil content of the stock emulsion used so they can dilute it correctly to a three per cent strength. They should insist that it contain at least 66⅔ per cent of oil by volume. The concentrated material should not be carried over from one season to another, as most emulsions break down with age, liberating free oil which is injurious to the trees.

Home-Made Emulsions

Lubricating-oil emulsions can be made on the farm somewhat cheaper than the manufactured material can be purchased. They can be made by three methods, namely, hot-pumped, cold-pumped, and cold-stirred.

Hot-pumped Method:

Lubricating oil (either paraffin or asphaltum, base, with viscosity of at least 125 seconds, Saybolt, at 100° F., and volatility [loss for 4 hrs. at 105° C.] of not more than 1.75 per cent) 2 gals. or 30 gals.
Potash fish-oil soap 2 lbs. or 30 lbs.
Sufficient water added to make volume 3 gals. or 45 gals.

Place the ingredients in a kettle and boil for a few minutes until the brown scum, which forms on the top, has disappeared. Then remove the kettle from the fire and pump the contents twice under at least 60 pounds pressure while still hot. The emulsion prepared in this manner should be used shortly after it is made.

To make the hot-pumped emulsion on a large scale, a boiler should be used to boil the ingredients, which should then be pumped through an all-metal triplex pump developing at least 250 pounds pressure. If pumped four times under at least 250 pounds pressure, this emulsion will hold up during the entire dormant spraying season or longer.

This stock emulsion contains 66⅔ per cent of oil, and to make a three per cent emulsion for use on peach trees, nine gallons of it should be diluted with 191 gallons of water.

Cold-pumped Method:

Some growers prefer this type of emulsion, as it is easier to make and requires no equipment except the usual power spray outfit with suction attachment. It is made as follows: Add four pounds of calcium caseinate with thorough and rapid stirring to sufficient water to make two gallons. Pour this mixture with constant stirring into 13 gallons of additional water in a 50-gallon barrel. Then add 30 gallons of lubricating oil (either paraffin or asphaltum base, with viscosity of at least 125 seconds, Saybolt, at 100° F., and volatility [loss for four hours at 105° C.] of not more than 1.75 per cent). Then place the suction hose of the spray outfit in the barrel and start the motor.

When the pressure registers 250 pounds, allow the ingredients to be sucked through the pumps and forced out through one or both spray rods, either with disks removed or with disks having a 3/16 inch aperture, into another 50-gallon barrel. The emulsion should be passed through the pumps under pressure three times, and should be used within a week or 10 days after it is made, so as to avoid separation of free oil from the emulsion. If it breaks down, which is indicated by free oil coming to the top, it can be readily re-emulsified by pumping.

This stock contains 66⅔ per cent of oil, and 9 gallons of it to 191 gallons of water is the strength that should be used on peach trees. (Caution: In using this formula, do not begin with oil and add water, as an emulsion useless for spraying will result.)

Cold-stirred Method:

This type of emulsion differs from the hot-pumped emulsion only in the method of manufacture, requiring neither heat nor pumping. The method consists of repeatedly adding small quantities of oil to the soap, and thoroughly stirring in each addition of oil before the next is added. When the required amount of oil is thus worked in (one gallon of lubricating oil, either paraffin or asphaltum base, with viscosity of at least 125 seconds, Saybolt, at 100° F., and volatility [loss for four hours at 105° C.] of not more than 1.75 per cent, to each pound of potash fish-oil soap), a stiff jelly-like mixture is formed. Water is then slowly added, with constant stirring, until the finished emulsion contains 66⅔ per cent of oil by volume. This emulsion is then diluted at the rate of 9 gallons to 191 gallons of water for a three per cent strength, which is recommended for San Jose scale control. If a good soap has been used, and thoroughly stirred, this emulsion is nearly as stable as the hot-pumped emulsion. Only potash soaps without excess of caustic potash should be used as an emulsifier for this type of emulsion, and it should always be made at temperatures between 50° and 80° F. The appearance of free oil in the mixture indicates that it has not been properly emulsified, and should be discarded or worked over again by starting with a little more soap and repeatedly adding small quantities of the mixture, thoroughly stirring in each addition before the next is added.

Application

One thorough application of lubricating-oil emulsion is usually sufficient for satisfactory scale control; however, if necessary, a second application may be used during one (To Page 14)



IT PAYS TO BUY SPRAY INSURANCE

Use of KAYSO in Spray Safeguards Investment for Materials Used as Well as Crop.

The use of KAYSO—the Spray spreader and adhesive—has been likened to buying spray insurance by editors and government experts, as well as thousands of farmers all over the country who use it year after year.

As they point out, the addition of KAYSO to the spray mixture pays for itself many times over. It keeps the spray materials in uniform suspension; spreads the spray in a uniform, complete coverage of leaf and wood; guards against run-off during rain or heavy dew; and costs so little that you cannot afford not to use it.

The best insecticide in the world can't protect your crop unless it is completely covered and with KAYSO in the mixture there can be no spaces between the drops for the entrance of insect pests or fungus growths.

Prove it for yourself, say the successful users. Order a trial quantity from your dealer, or write for more particulars about your own spray problems.



Spreads the Spray and Makes It Stay

Be sure that KAYSO is on your spray material list.

GOLDEN STATE SALES CORPORATION
99 Hudson St., New York City

or
GOLDEN STATE COMPANY, Ltd.
425 Battery St., San Francisco

QUESTIONS AND COMMENT

Conducted by T. J. TALBERT

Questions on fruit growing problems and on general horticulture will be answered through this department if of general interest. For reply by mail enclose 3c stamped envelope (air mail 8c). Address AMERICAN FRUIT GROWER, 75 West Van Buren Street, Chicago.

Blister Canker

I have Red Delicious apple trees that have a bark disease. This starts with a thin bark about as thick as paper. Later on it splits open and rolls back about one-fourth inch in diameter. It is brown in color. The bark on the trees is over one-eighth inch thick. I cut through the bark several places where it was blistered and I found brown streaks which look like brown thread in the bark. Later on the bark will turn brown on the inside and die. It starts in the trunk and later on gets in the large limbs. I would like to know the name of this bark disease.—A. B., Indiana.

THE description which you give of the bark disease of your red Delicious apple trees indicates an attack of the fungous disease known as blister canker.

This is a wound parasite. As the name indicates, therefore, the entry of the fungus is usually through an abrasion in the bark or where a limb has been removed.

The best methods of control and prevention consist of keeping the trees in a fairly vigorous condition. Moreover, it is important that few large wounds be made upon the trees as a result of pruning. When it is necessary to remove a branch, the cut should be made smooth and close and the wound disinfected with copper sulphate at the rate of one pound to four or five gallons of water and then painted with ordinary house or barn paint, parawax, or grafting wax.

Budding Peaches—Whitewashing Trees

Am planning on increasing my peach orchard by budding my own trees and would appreciate your answering the following questions:

1—Are seeds from common peaches any better to plant than seeds from budded peaches?

2—What are the advantages or disadvantages of planting peach trees in the bud, that is, setting them the next spring after they are budded?

3—Does whitewashing trees in early spring retard blooming enough to pay in a commercial orchard? If so, when should it be done? Could the whitewash be combined with Bordeaux for control of leaf curl?—R. F., Ohio.

SEEDS from common seedling peach trees generally give somewhat better results in producing seedling stock for budding peaches than the seed produced from budded stock.

Where the season of growing is of sufficient length to produce a tree of moderate size which was budded in June, there is no serious objection to planting such trees the following spring after budding. It is true, however, that most peach buds are placed in the seedling stock during the months of July and August. These buds continue growth the following season and the trees are sold in the fall of that year or in the following spring.

Whitewashing in late winter or early spring before growth starts may retard the growth of deciduous trees anywhere from two or three days up to as much as four or five days. It is important that the whitewash be applied before any growth starts and if the same

does not adhere to the trees more than one application should be made. In other words, it is important that the buds and branches of the trees be kept covered with the whitewash material.

Bordeaux made according to the 3-4-50 formula gives the trees a white color and may serve very well to hold the trees back a day or two or more. If this spray is applied before new growth starts, it is effective in controlling peach leaf curl.

Making Lime-Sulphur

Noting your answer to O. W. J., Illinois, thought that I might get some help from you or some growers on making lime-sulphur solution. I have gone to a great deal of trouble in fixing for open kettle cooking of lime-sulphur and can cook from 300 to 400 per batch with a small cistern to quickly run off when cooked.

My trouble is in not being able to get uniform batches and the solution going out of suspension to such an extent that it is unprofitable to make over buying the ready made.

As suggested in your answer, I have found 50 pounds lime, 100 sulphur, 50 gallons water formula, making the lower Baume test, the most satisfactory for home making. But my great trouble is in keeping down precipitation and losing whole batches.—C. R. McC., Kentucky.

IT is possible that your difficulty in the manufacture of home-made lime-sulphur solution arises out of the kind or grade of lime which you have been using. Since different limes behave differently with water, it is often advisable to test a sample before proceeding with the actual cooking operation. Moreover, it is often advisable to have lime samples tested before making purchases. The analysis may be obtained from the State agricultural experiment station and perhaps through other agencies.

The coarse sediment is of no use for spraying purposes, but if it should contain a considerable amount of uncombined sulphur, it may be recooked with the next batch. In well prepared solutions, however, the amount of uncombined sulphur is usually small.

Should you continue to have difficulty in the manufacture of lime-sulphur solution, it will perhaps be better, as you have suggested, to purchase the product ready made.

White Grub Worm

Is there any way to get rid of white grub worms? It is almost impossible for me to raise strawberries on account of the grubs. Please let me hear from you at once.—H. J. K., Indiana.

THE white grub may be controlled through a number of cultural practices; such, for example, as the establishing of a system of rotation of crops, using particularly such crops as small grains that are not seriously injured by the grubs.

The beetles may also be destroyed in their pupal cells in which they over-winter by deep thorough plowing in the fall or early winter. Moreover, swine if confined on soil

infested by the white grub will do much toward destroying the pest. Flocks of chickens or turkeys on plowed or cultivated ground may also assist materially in ridding the soil of the grubs.

Pollinating Baldwins

I intend to set out 300 Baldwin apple trees this spring. Should I include some other variety for pollinating purposes? If so, what varieties would you suggest?—J. F. B., Pennsylvania.

It is our thought that you should find the Delicious (Starking or Richared), Jonathan, York, Golden Delicious, and Grimes Golden satisfactory pollinators for the Baldwin apple under your conditions.

If you plant one or more other varieties with the Baldwin apple, it is suggested that the planting be arranged in blocks of about three rows of the Baldwin and one row at least of Jonathan or some other variety used as a pollinator.

Orchard Lease

I am thinking of leasing some apple orchards and should like to have you advise me what would be a fair rental or share of fruit on trees at picking time to property owner, considering the high cost of machinery, gas, oil, fertilizers, and spray materials, against the low market value of apples.

Will you please outline for me what you think would be a fair basis for rental of this kind of average orchards?—C. M. H., Virginia.

A FAIR rental or share of the fruit crop from an apple orchard may depend upon a number of factors. The person who leases the orchard may receive all the way from one-third to one-half the crop depending upon what the owner of the orchard furnishes in the way of spraying equipment, spraying chemicals and assistance at harvest time.

It may be necessary for the renter to furnish all labor, equipment and supplies other than fertilizers necessary in growing the crop to and including the picking. If part or all of the equipment is furnished by the orchard owner, allowance may be made accordingly in the division of the fruit. The renter may bind himself to prune and spray the orchard and use every cultural practice to maintain it in good condition regardless of set of fruit.


In this case, perhaps the best division should be based on a division of the picked fruit with two-thirds going to the renter and one-third to the orchard owner. This divides the hazards connected with the business more equally than cash payments.

Cottonwood Trees

Do you know of any way to stop cottonwood trees from bearing cotton? If so, kindly advise us.—M. B., New Mexico.

THERE is no practical and economical way known at the present time to prevent cottonwood trees from bearing bloom and at the same time preserve the health and vigor of the trees.

Some have suggested that by means of power sprayers, a caustic application might be used just preceding the blooming period and through this application kill the young leaves and flowers of the trees before the so-called cotton which is shed from the bloom is developed. This might prove effective, but it would be expensive to make the application and there is danger of doing injury to the trees.



Here It Is!

The New Half-Ton, 6-Cylinder International Model D-1 Truck

THIS announcement will be welcome news to thousands of dairymen, fruit growers, truck gardeners, merchants, and general delivery men. They have long looked for a half-ton model from International Harvester. They have missed International *quality* in the low-price field.

\$360

For it is on *quality* that International Harvester has built its outstanding success in automotive manufacture. Because of *quality* it has steadily increased its leadership among full-line truck manufacturers, greatly improving its relative position during the recent difficult years.

Now new conditions, created by the times, have given us a new opportunity. Today International Harvester provides another product of high quality in the International Half-Ton Model D-1. This new truck at its remarkably low International price takes with it, of course, every guarantee that every International Truck carries. It is safeguarded by the nation-wide service that makes every International more valuable to its owner throughout the years of its life.

See the new half-ton 6-cylinder International at the first opportunity. Write us for complete catalog and for address of nearest International showroom where the truck may be seen on display.



INTERNATIONAL HARVESTER COMPANY

606 So. Michigan Ave. OF AMERICA
(Incorporated)

Chicago, Illinois

INTERNATIONAL TRUCKS

Hundreds of Fruit Growers have adopted and are pleased with ...

The CYANAMID PLAN of Fertilizing Fruit Trees

It involves no radical changes from the best orchard practices

The Plan requires—

1. Growing of luxuriant cover crops when trees are young
2. Use of phosphate and potash as required by the cover crops
3. Plowing under or discing into soil of these cover crops
4. Occasional breaking up of any permanent sod allowed to develop
5. Annual use of Aero Cyanamid to supply required nitrogen and lime



AERO CYANAMID **A Superior FRUIT FERTILIZER**

- Supplies a high percentage of available nitrogen
- It sweetens the soil and destroys soil acids
- It holds fast to the soil and is not washed out by rains
- It helps free soil of weeds and disease organisms
- It is quick-acting and long-lasting

Send for booklet on "The Cyanamid Plan of Fertilizing Fruit," including apples, cherries, citrus, grapes, peaches, pears, pecans, plums and small fruit

AMERICAN CYANAMID COMPANY

Manufacturers of Aero Cyanamid and Ammo-Phos

535 FIFTH AVENUE, NEW YORK, N. Y.



Cyanamid is NITROGEN plus LIME

YOUR CHOICE
Watch, Camera or Rifle
Given for selling only
20 packs of Garden Seed.
We ask No Extra Cash.
Send No Money.
Write today.
American Seed Co.
Box J-1 Lancaster, Pa.

KINKADE GARDEN TRACTOR

and Power Lawnmower
A Practical, Proven Power Cultivator for
Gardeners, Suburbanites, Truckers,
Florists, Nurserymen, Fruit Growers.
Reduced Prices - Easy Terms
American Farm Machine Co.
1105 33rd Ave., S.E., Minneapolis, Minn.



**ONLY SALABLE FRUIT
Brings in Money**

DO NOT allow the difference between sound and defective fruit make the difference between profit and loss. Take full advantage of the efficiency of "Black Leaf 40." Kills Aphis, Thrip, Red-bug, Bud-moth, Leaf Hoppers and other insects with two-fold action—contact and fumes. Mixes readily with other standard spray materials.

Backed By Over 20 Years' Successful Use

In 1910, "Black Leaf 40," containing 40% nicotine, was introduced. Fruit growers were quick to appreciate its superiority. Government and State Experiment Stations made thousands of exhaustive tests. As a result, the problem of a safe, effective and economical control for many insects was solved. Don't spare "Black Leaf 40" and spoil fruit. Sold everywhere. Write us for spraying data and other information.

An effective flock treatment for poultry lice and feather mites. Merely "paint" perches. Body heat of roosting birds creates fumes which penetrate feathers and kill lice and feather mites.

Tobacco By-Products & Chemical Corp., Inc.
Louisville, Kentucky 5315

"Paint"
Tops of
Roosts

No handling
of birds

**"Black
Leaf
40"**

Quality Fruit Aim of Wisconsin Growers

TO PRODUCE quality fruit that will command quicker sales and better prices on the market and to so manage the farm orchard so that it will contribute its due share to the family cash revenue and food supply are among the aims of the orchard owners who will hold orchard meetings in many Wisconsin counties this spring.

Orchardists in 184 Wisconsin communities now doing spray work find that it pays well to spray orchards for pest and disease control, reports Conrad L. Kuehner, of the Wisconsin College of Agriculture, who will meet with these Badger farm orchard owners at their meetings. Such work is now carried on as organized work of spray rings in Bayfield, Brown, Dane, Dodge, Eau Claire, Fond du Lac, Grant, Green, Green Lake, Jefferson, Kewaunee, Kenosha, LaCrosse, Manitowoc, Milwaukee, Outagamie, Ozaukee, Pepin, Pierce, Racine, Rock, Sheboygan, Vernon, Walworth, Waukesha, Washington and Winnebago counties.

At the meetings methods of pruning, spraying, and of orchard management work to improve fruit quality will be explained. Methods of properly grading fruit for the roadside market will also be demonstrated.

Liquid Bait for Japanese Beetles

JAPANESE beetle attractants are more effective in liquid than in solid form, according to the Bureau of Entomology, U. S. Department of Agriculture.

Geraniol and eugenol, liquid constituents of certain plants having a strong lure for many insects, are the attractive ingredients of the most satisfactory baits for Japanese beetle traps. Bran, molasses, glycerin, and water are added to make the solid bait commonly used for the last few years. This solid bait, however, gradually loses its potency in standing. Recent studies have shown that a mixture of one part of eugenol and 10 parts of geraniol when vaporized by a wick of the type used in alcohol lamps volatilizes at full strength as long as it lasts. The liquid bait also is easier to handle and ship than the bulky solid bait.

The Plant Quarantine Bureau of the department plans to use the new liquid bait in most of the 56,000 Japanese beetle traps to be set out next summer. These traps are designed, not to control an infestation, but to check up on the presence or absence of this dangerous insect pest. Federal plant quarantines are imposed or removed and special control measures are adopted on the basis of information collected by trapping.

Motor Trucking to Los Angeles Increasing

SEVENTY per cent of all fruits and vegetables unloaded in Los Angeles markets last year was carried by motor truck, an increase of 5.7 per cent over 1931, reports the agricultural department of Los Angeles Chamber of Commerce. The chamber says that according to a recent report of the Federal-State market news service, 88 per cent of the fruits and vegetables consumed in Los Angeles last year was produced in California and over 50 per cent within 100 miles of the city. The total consumption was 61,997 carloads.

The 1933 Apple Outlook

THE DEPRESSION, now three years old, is beginning to have its effects on the physical condition of the orchards. Accumulated financial burdens incident to low returns and to depletion of cash reserves for production purposes are perhaps more generally felt at this time than at any time for many years. Already there are indications that if the depression continues for several years, neglect of orchards will become rather general and eventually may result in considerable abandonment.

As yet there has been no shortage of apples in years of favorable growing conditions; nor is there any immediate prospect for a shortage. In fact, commercial production, which may be more significant than total production, increased for several years to a peak of 39,000,000 barrels in the very favorable growing season of 1926. Since then it has averaged somewhat higher than for the five years previous to 1926, and the 1931 commercial crop was the fourth largest on record. It is believed that the number of young trees now in commercial orchards would maintain commercial production at a high level for several years, under conditions of average care. The extent of future neglect and abandonment of orchards, therefore, is likely to be the major factor influencing the size of the commercial crop.

The following statement briefly presents the apple situation in the Western, Central, and Eastern apple States. Further details are contained in the 1932 outlook report.

About 20 years ago, the 11 Pacific Coast and Mountain States produced 19,000,000 bushels of apples per year, whereas they now produce an average of about 56,000,000 bushels annually, an increase of about 195 per cent. At the same time the number of bearing trees increased 10 per cent, and yield per bearing tree increased from an average of 1.5 bushels to about 4.3 bushels. In these Western States production now is apparently close to its peak for the present cycle. In the Pacific Coast States as a group, a very small percentage of the trees are yet to come into bearing and production is being fairly well maintained by tree resets and by an increase in producing capacity of trees due to an increase in their age. In the Rocky Mountain States as a whole production is declining.

Plantings in all of the Western apple States have been very light during late years. In the better commercial areas, orchards are generally well cared for, but considerable neglect, and at least temporary abandonment, is expected if present economic conditions continue long. Low prices for apples are increasing the difficulty of Western growers in marketing. Transportation charges for apples from the Northwest to distant domestic markets are now consuming a large part of apple values, making it difficult for Western growers to compete successfully with producers near the large consuming centers.

The Central States as a whole now contain about 43 per cent of the total number of apple trees in the United States and produce about 24 per cent of the apples. From 1910 to 1930 the number of trees decreased about 60 per cent and production decreased 42 per cent. A large part of the decrease in tree numbers came in the first half of the period, 1910-1930, and many of the orchards now remaining are well supplied with young trees, many of which were planted during the last 15 years. According to census figures nearly one-third of the trees in these States had not reached bearing age in 1930 and according to a tree survey made in 1928 about 40 per cent

of the trees in commercial orchards of the region were under 9 years of age.

Many of the tree removals in the Central States between 1910 and 1930 were of odd and unpopular varieties. The more recent plantings have been of the more popular varieties, such as the Delicious, Winesap, Jonathan, Stayman Winesap, and Yellow Transparent. In the region as a whole the removal of old trees continues. Recent plantings have been light, and on the whole, there

is no evidence at this time of material contraction or expansion of commercial orchards.

In the Eastern States, which include the New England and the Middle and South Atlantic States, the number of apple trees declined about 24 per cent from 1910 to 1930, and those of bearing age decreased about 17 per cent. At the same time, production fell off about 17 per cent.

These Eastern States in 1930 had about 44 per cent of all apple trees in the United States and produced about 42 per cent of all the apples. The tree survey of 1928 showed that approximately 64 per cent of the apple

(To Page 14)



HOW MUCH WILL MY CATTLE BRING?



A FARMER near Disputanta, Virginia, was offered a price for his fat steers which seemed low. He telephoned a packing house in New York and was advised that they should bring at least a cent more. The next day he shipped the cattle and they actually brought a cent and a half more than the first offer. The profit from this single telephone call was \$250.

The telephone is always at hand. It brings the latest market reports any and every day. It finds a buyer elsewhere when the local market is glutted. It saves time and trips to town — saves in many, many ways.

The telephone keeps the farm family in touch with the world and brings the doctor and veterinarian within easy reach. It maintains friendly contact between neighbor and neighbor. It is indispensable in business transactions — priceless in emergencies.

A BELL SYSTEM



ADVERTISEMENT



Right Now
is the
time to make
sure of your
Profits

— by feeding your trees plenty of NITROGEN

Top dressing your trees now with Arcadian Nitrate of Soda will bring yields of Quality fruit—the kind that brings highest prices.

ARCADIAN NITRATE OF SODA

is now first choice of experienced orchardists for many reasons.

RICHEST IN NITROGEN. Proved by official tests.

MORE PLANT FOOD PER TON. No unwanted impurities.

ALL AVAILABLE. Quick-acting. Long-lasting.

MADE IN AMERICA. Its use helps to build a better consumer market for farm and orchard products.

The *Barnett* Company

HOPEWELL VA.
NEW YORK, N. Y. ATLANTA, GA.

WRITE FOR FREE GROWERS' MEMO HANDBOOK—

Ruled pages for personal notes and records. Contains many facts of importance and profit to growers.



WALSH GARDEN TRACTOR

AND POWER MOWER
A Complete Gas-engine Machine for Gardeners Florists Nurseries, Suburbanites, Fruit Growers Poultrymen and Small Farmers.

POWER FARMING
Does away with hand hoeing, weeding & other back breaking tasks. Runs Belt Machinery like Saws, Feed Mills, Pumps, etc. Built to walk or ride.

NEW LOW PRICE—PAYMENT PLAN
Special factory offer makes it easy to own a Walsh. Write today!

WALSH TRACTOR CO.
3358 Talmage Ave.
Minneapolis, Minn.
72-F, Murray St.
New York, N. Y.

CATALOG FREE



Plows Harrows Seeds Cultivates Mows Hay and Lawns

The Peach Outlook

A DECLINING trend is indicated in the number of bearing peach trees in the Southern States and in California. For most other sections no pronounced changes in the number of bearing trees are anticipated. However, the upward trend in production in Colorado is expected to continue for several years. For the country as a whole very few trees have been planted in the last few years.


The number of bearing trees in southern orchards at present does not seem excessive, if material improvement in market conditions occurs during the next five years. Downward adjustments in acreage may be advisable in some other sections, particularly in the Rocky Mountain and Western States. The rapid development of motor-truck marketing may influence some shifts in producing areas.

The planting of commercial peach trees in the South has been generally at a relatively low rate during the last five years and has apparently averaged less than 4 per cent annually of the present number of trees. It is estimated that with good care, the average life of a peach tree in the South is about 14 years. If orchards are well cared for, it would, therefore, require plantings of 7 per cent of the present number each year to have this number of trees at the end of a 14-year period. In many important Southern peach districts the number of trees removed or abandoned has exceeded the number planted in recent years. Moreover, the period of heavy planting of trees in southern orchards was from 1921 to 1924, and these trees will be from 9 to 12 years old in the spring of 1933. Many of them will decline in productivity or go out of bearing in the next few years. Low returns in recent years have resulted in neglect in care of many orchards, and have tended to discourage replacement plantings.

Notwithstanding the extremely small southern crop in 1932, due largely to adverse seasonal conditions, there are still sufficient bearing trees in the Southern States to produce large crops under average weather conditions. Census figures show that the total number of peach trees in 11 Southern States (North Carolina, South Carolina, Georgia, Florida, Alabama, Tennessee, Mississippi, Arkansas, Louisiana, Texas, and Oklahoma), including both commercial and farm orchards, was slightly less than 32,000,000 in 1930. This was a decline of 17 per cent from the number reported in the 1925 census.

In Georgia, peach production averaged 35 per cent of the crop in 11 Southern States in the 4-year period ended in 1932. Approximately 18 per cent of the trees in commercial orchards in Georgia were less than 5 years old in the fall of 1931; 49 per cent were 5 to 9 years old; 29 per cent were 10 to 14 years old, and 4 per cent were more than 14 years old. From the fall of 1930 to the fall of 1931 there was a decrease of 566,000 or 6 per cent in the number of trees in active commercial orchards in that State, and there were also nearly 600,000 additional trees in orchards which were abandoned during the year ended in the fall of 1931. The number of trees planted in Georgia in 1932 has been much lower than the number removed and abandoned. Twenty-eight per cent of the 4,000,000 commercial trees in the southern district of Georgia were under 5 years old in the fall of 1931, compared with 12 per cent of the 4,000,000 trees in the central district, and 2 per cent of the 700,000

Your Spray Pump MUST Be RIGHT!



HALF-WAY measures simply won't do in fighting scale, scab, moths, bugs and insects—fruit and crop pests of any kind. Spraying must be a speedy, thorough job.

Write to Myers—World Headquarters for Spray Pumps and tell us about your spraying job. Our engineers will recommend the right outfit for your needs and tell you where you can obtain it.

Whether it is a small hand spray or a power rig, you can depend on Myers equipment for quick, thorough, low-cost spraying. *Every unit absolutely reliable!* Write for free Spray Pump Catalog and full information.

THE F. E. MYERS & BRO. CO.
151 Fourth Street Ashland, Ohio
Pumps, Water Systems, Hay Tools, Door Hangers
"Pump Builders Since 1870"

MYERS Hand and Power Spray Pumps



STANDARD GARDEN TRACTOR

Plows Seeds Cultivates Mows Hay and Lawns
A Powerful Tractor for Small Farms, Gardeners, Florists, Nurseries, Fruit Growers and Poultrymen.

LOWER PRICES
Walk or Ride—High Clearance
Free Catalog—Does Belt Work

STANDARD ENGINE COMPANY
Minneapolis, Minn. Philadelphia, Pa. New York, N. Y.
3210 Como Ave. 2447 Chestnut St. 206 Cedar St.

Strawberries PAY



New varieties prove better. FAIRFAX and DORSETT selected from thousands by Government Specialists. Allen's 1933 BERRY BOOK offers these and reports actual yields, etc. in tests with Premier, Aberdeen and other leading varieties. Send today for free copy. It's different. Valuable information.

The W. F. ALLEN CO.
284 Strawberry Ave., Salisbury, Md.

trees in the northern district of that State. There are more old trees over 10 years of age in southern Georgia than in the other parts of the State. Plantings in the southern district of the State in the last few years have been largely Hiley and earlier maturing varieties such as Uneeda and Early Rose.

In both Tennessee and North Carolina only about 10 per cent of the commercial trees were under 5 years old in 1930. Commercial plantings in these States have been light since 1930 and because of abandonment and neglect there has been some decrease in the number of trees. Considerable plantings have been made in South Carolina in recent years. In Arkansas the number of bearing trees is expected to decrease, but it is possible for the production trend to increase in the next few years.

For the region comprising Virginia, West Virginia, Maryland, Delaware, and the North Atlantic States, no great change in the number of bearing trees is expected, but a downward trend in production is indicated for the Eastern Shore of Maryland, and in New Jersey the trend has been downward for several years. In Pennsylvania, a slight increase is indicated, and there is a tendency to shift to the J. H. Hale variety.

In the North Central States, as a whole, the trend in production will probably not change much in the next few years. The census figures show practically the same number of trees in this region in 1930 as in 1925. A decreasing tendency is indicated for Illinois, whereas in Michigan there may be some increase owing to the considerable plantings which were made from 1927 to 1930.

In the Rocky Mountain region the Colorado production has increased rapidly, and the heavy crops of 1931 and 1932 averaged about one-third larger than the crops produced during the previous 5 years. The peak in Colorado production is not expected for several years. The census figures show that the number of trees in three Northwestern States (Washington, Oregon, and Idaho) increased 7 per cent from 1925 to 1930. Plantings since 1930 have been very light. Trees planted in Washington since 1925 have been mostly of the J. H. Hale variety.

The California production of clingstone varieties, which are largely used for canning, is likely to decline considerably during the next few years. Large acreages have been removed in the last 4 years and practically no new plantings have been made since 1930. The acreage of clingstone varieties decreased 30 per cent from 1928 to 1932 but is still excessive for the needs of the canning industry under present demand conditions. The bearing acreage of California freestone varieties, which are used mostly for drying, has not changed much in the last few years.

Roadside Marketing in Maryland

ROADSIDE marketing is developing rapidly in Maryland, according to Maryland Department of Agriculture. Evidence of this was brought out at a meeting of owners of roadside markets held in Baltimore recently. One woman reported that the farm stand which she operates in Montgomery county, adjacent to the District of Columbia, brought their farm more than \$150 in December alone. Another woman, with a similar enterprise at Ellicott City, near Baltimore, reported the development of a business which has become so large that her husband now takes part. Another woman said that the sale of small cartons of hot hominy, at five cents a carton, though not profitable in itself, has brought much trade for other things to her stand. The Maryland group adopted resolutions looking to the forming of an organization and asking the State for a certification system.

TODAY'S BIG VALUE IN POWER SPRAYERS ↓ THE 1933 BEAN

Send the COUPON


In the 1933 BEAN line you get the most rugged, efficient, dependable sprayers ever designed. You get the lowest prices at which such outfits can be built. You get the guarantee of the oldest and largest spray pump manufacturers in the world.

BEAN "Royal" Pumps are the last word in spray pump engineering. Materials combine both strength and lightness. New-type frictionless bearings. Latest trouble-free valves. Positive lubrication with all working parts entirely separate from the solution chamber. A pressure regulator far ahead of any other type ever developed.

The BEAN saves you time...trouble...and money.

● Send for the new catalog... see your nearest BEAN dealer. Give your orchard BEAN protection this year.

TWO COMPLETE FACTORIES (Lansing, Michigan and San Jose, Calif.), readily available parts at many points and authorized BEAN dealers in every growing section insure good service to BEAN owners everywhere.



Ask about
BEAN Fruit Cleaners,
Washers, Graders and Sorters.

John Bean Mfg. Co., Div. of Food Machinery Corporation
15 Hosmer Street, Lansing, Michigan
104 West Julian Street, San Jose, California

Please send your Complete 1933 Sprayer Catalog

Name _____
Address _____
No. of Acres _____ Kind of Fruit _____

Send for

FREE Book

On Protection
of Fruit Trees from
Destructive Insects

Tree Tanglefoot protects your fruit trees completely against canker worms, climbing cut worms, ants, gypsy, brown-tail, tussock moth caterpillars, and all other creeping or climbing insects responsible for much fruit destruction. It is safe, easily applied and instantly effective. Inexpensive. A single application lasts for months. Send for your copy of our new free booklet, "Tree Tanglefoot Protection," giving you all the facts.

TREE TANGLEFOOT
THE TANGLEFOOT CO., Grand Rapids, Mich.

Mail this Coupon TO-DAY

The TANGLEFOOT COMPANY, Grand Rapids, Michigan. Dept. F
Gentlemen:
Please send me a copy of your free book: "Tree Tanglefoot Protection."
Name _____
Address _____



Tree Tanglefoot Has Protected Fruit Trees for over 30 years.

AMERICAN FRUIT GROWER — — — — — — — OPPORTUNITY ADS

A PROFITABLE HABIT

Read these ads each month. Answer those that interest you. It's a profitable habit. You may do business with our advertisers with full confidence of a square deal. Use an ad yourself wherever you have something to sell or want to buy something. Send your ad now; it costs only 15 cents a word. Be sure to count name and address. Each initial or whole number is a word. Our advertisers say it pays handsomely.

**Only 15c a Word
CASH-WITH-ORDER**

ADDRESS: AMERICAN FRUIT GROWER, 75 West Van Buren St., Chicago, Ill.

NURSERY STOCK

EARLY BEARING PAPERSHELL PECAN TREES, peaches, apples, figs, etc. Stock guaranteed. Catalog free. Bass Pecan Co., Lumberton, Miss.

MONEY MAKING TREES, VINES AND PLANTS FOR Spring Planting. All the old and newer varieties. Our Catalog for Spring of 1933 containing information of Great Value to Home Owners, Commercial Orchardists and Small Fruit Growers Now Ready. It's Free. Get your copy. Bountiful Ridge Nurseries, Box 11, Princess Anne, Maryland.

STRAWBERRY PLANTS, WORTHWHILE VARIETIES. \$2.00 to \$3.00—1,000. Mastodon, Blackberries, Raspberries, 100—\$1.00; 1,000—\$7.75. Grapes. Investigate our low prices. Cloverleaf Nurseries, Three Oaks, Mich.

IT PAYS TO PLANT BETTER VARIETIES. WRITE for catalog and literature describing our new apples, Richared Delicious (T. M. Reg.), Blackjon (U. S. Plant Pat. Appl'd for), Blaxtayan, etc., etc. Also our new fuzzless peach—the Candoka (U. S. Plant Pat. No. 51)—and many other new varieties. COLUMBIA & OREGON NURSERY CO., "The Wenatchee Nurseries," Wenatchee, Washington.

LATHAM, CHIEF RASPBERRY, BEAVER AND other Strawberry plants. A. B. Coleman & Son, Aitkin, Minn.

EXTRA GOOD SPRING BEARING STRAWBERRY Plants at Wholesale Prices. Senator Dunlap, \$2.50; Premier, \$2.75; Blackmore, Washington or Beaver, \$3.00 thousand or by the hundred, 40c. Myers Nursery, Arcadia, Wisconsin.

RASPBERRIES, HIT THE EARLY MARKET FOR high prices. New Logan Magnificent Black, Flaming Giant Red. World's earliest. Extra heavy rooted select plants. All varieties. Write for low prices direct from largest raspberry growers. Victor Judson Fruit Farms, Box 11, Bristol, Indiana.

15 JONATHAN, \$1.00 POSTPAID. 12 RHUBARB, 75c postpaid. Tromble's, Box 618, Bentonville, Ark.

LOWEST PRICES ON RECORD. BEST VARIETIES. Apple, Peach Trees, low as 5c; Grapevines, 3c; Shrubs, 10c; Evergreens, 25c. Seeds, bulbs, etc. Benton County Nursery, Box 501, Rogers, Ark.

1000 STRAWBERRY PLANTS Largest red and black Raspberries, Blackberries, Trees, Asparagus, Grapes, Bulbs, Shrubs, etc. 100 Varieties. Guaranteed, hardy, northern grown. Quality stock, big yielders. Lowest Prices in our Nursery History. Instructive color Catalog Free. WESTHAUSER NURSERIES, Box 12, Sawyer, Mich.

AGENTS AND SALESMEN WANTED

MANUFACTURER GUARANTEED QUALITY SHOES. 29 years in business, wants salesmen. Big profits daily. No experience necessary. Sales outfit free. Write Mason Shoe Mfg. Co., Dept. D5, Chippewa Falls, Wis.

MEN ACQUAINTED WITH GROWERS A new line of pruning shears designed for modern pruning needs. Manufacturer wishes agents to sell direct to consumer. Liberal commissions. Protected territory. **THE NILES COMPANY** Lowell, Mass.

BIG MONEY SELLING SHIRTS, TIES, UNDERWEAR. Dresses, Hosiery, Raincoats, Coveralls, Pants, Uniforms, Playsuits. Big Outfit FREE! Nimrod Co., Dept. 102, 4922-28 Lincoln Ave., Chicago, Ill.

WANTED—FRUIT GROWERS TO SELL OUR NEW Double Red Varieties of Apple Trees, including Richared Delicious. Save money on your trees and make money taking orders. TITUS NURSERY CO., Waynesboro, Va.

BEEES

BEEKEEPERS SHOULD BE YOUR BEST CUSTOMERS. Rates 5c per word. Sample copy free. Send 10c stamps for three months trial subscription. Beekeeping is pleasant and profitable. The Beekeepers Item, Box 828, San Antonio, Texas.

THREE BAND ITALIAN BEES WITH QUEENS. 3 lb. packages, \$2.00 each; Extra Queens, 50 cents each. D. C. Jackson, Funston, Ga.

BULBS

100 GLADIOLUS BULBS \$1.00 PREPAID. 20 BLOOM- ing varieties. Gerry Delfoff, Kendallville, Ind.

DOGS

ST. BERNARD PUPPIES, HEAVY TYPE. REGIS- tered. Helvetia Kennels, 5345 McKenna, Montreal, Canada.

BEAUTIFUL REGISTERED BULL PUPS, \$15. SHIP anywhere, live delivery guaranteed. Guaranteed mange remedy \$1. Bulldogs, 501 Rockwood, Dallas, Texas.

ELECTRICAL SUPPLIES

SPECIAL BARGAINS SLIGHTLY USED ALTERNAT- ing and Director Current generators. 1/2 horse alternating Motors, \$12.75. Many others. ELECTRICAL SUPPLIES CO., Dept. 42, 1885 Milwaukee Ave., Chicago, Ill.

GRAFTING

GRAFTING

Don't ruin your trees—Make them pay while grafts are growing
Fruit in half the time
Send stamp for circular explaining new system
W. L. MINOR

Brockton Massachusetts

GRAFTING WAX

GRAFTING WAX FOR ORCHARDISTS. BOTH Hand and Brush Wax. Michigan State College formulas. Free Price List. Hunt & Son, Lansing, Mich.

HELP WANTED

WANTED—ORCHARD MAN. VIGUS MERC. CO., Vignas, Mo.

HOSIERY

LADIES', MEN'S HOSIERY, \$1.75 DOZEN; PRE- paid, guaranteed. Write for latest catalogue. L. S. Sales Company, Asheboro, N. C.

BABY CHICKS

BABY CHICKS

WORLD'S FINEST
BLOOD LINE
CHICKS

GUARANTEE BIGGER PROFITS BY RAISING OUR FAMOUS
Bloodtested Breeds. They cost no more than ordinary chicks.

Thousands of satisfied customers, and Minor Bureaus of U. S. and Brazilian Governments have purchased our fine profitable chicks and matured stock. They are all from Blood-tested Tancred, Fishel, Thompson, Holterman, and other famous Bloodlines. You'll find our chicks better to start or re-build a profitable flock, because they will produce more eggs, mature quicker, and grow larger. This insures you greater profit. Our enormous capacity makes low prices possible. Write today for our big FREE Color Plate Chick Book full of valuable information every poultry raiser needs.

PRICES PREPAID	25	50	100	500	1000
S. C. White Leghorns.....					
S. C. Buff Leghorns.....					
S. C. Brown Leghorns.....	\$2.00	\$3.50	\$6.75	\$33.50	\$67.00
S. C. Anconas.....					
Barred Rocks.....					
White Rocks.....	2.25	4.00	7.75	38.50	77.00
S. C. R. I. Reds.....					
Buff Rocks.....					
S. C. White Orpingtons.....					
S. C. Buff Orpingtons.....	2.50	4.50	8.50	42.50	85.00
White Wyandottes.....					
Columbia Wyandottes.....					
Silver Laced Wyandottes.....					
Assorted, no cripples.....	1.50	2.50	4.50	22.50	45.00
Mixed, Heavy Breeds.....	2.00	3.50	6.75	33.50	67.00

THORNWOOD POULTRY YARDS
DEPT. 216
CRANDALL, INDIANA



C. A. SIMS

SHIPPED
PREPAID
100%
LIVE
DELIVERY

GUARANTEED

WRITE FOR FREE CATALOG



DISPLAY-CLASSIFIED ADS

are permitted in this section. These are regular display style advertisements or else illustrated classified advertisements. Rate: \$1.35 per agate line or \$18.90 per inch except display advertisements of poultry, baby chicks, eggs, poultry equipment and supplies, pigeons, pet stock, fur-bearing animals. \$1.15 per agate line or \$16.10 per inch. Minimum size, 5 lines. Display-classified ads get extra attention. Send yours today.

INSTRUCTION

\$105-\$175 MONTH START. STEADY. MEN—WOMEN. 18-50. Hundreds future government jobs. Common education sufficient. Sample coaching FREE. Write immediately. Franklin Institute, Dept. E-52, Rochester, N. Y.

MUSIC COMPOSED AND ARRANGED

ARRANGING IN ALL BRANCHES, MELODIES AND lyrics supplied; orchestrating and piano parts prepared for publication. Harry Ludwig, Wurlitzer Building, Detroit, Michigan.

MILKING MACHINES, SUPPLIES

MILKING MACHINES, SUPPLIES, ALL MAKES. Dairy supplies, Milker Exchange, Box 25, Mankato, Minn.

OF INTEREST TO WOMEN

QUILT PIECES—PRINTS, PERCALES, PLAIN MAT- ternals. Trial package 25c. postpaid. Grant's Supply Store, Dept. 2, Warsaw, Illinois.

PATENT ATTORNEYS

PATENTS—LOW COST. EASY TERMS. BOOK AND advice free. L. F. Randolph, Dept. 368, Washington, D. C.

PERSONAL

OLD AGE PENSION INFORMATION. ENCLOSE stamp. Judge Lehman, Humboldt, Kans.

PHOTO FINISHING

8 PRINTS 5x7 ENLARGEMENT 25c. 8x10 WITH Frame 50c. Printing Free With Cosmetics. Artcraft Laboratories, Pilsen Sta., Chicago.

PRINTING

250 ENVELOPES AND 250 WHITEBOND LETTER- heads, \$1.49. Webster's Printery, Farmland, Indiana.

250 (8 1/2 x 11) LETTERHEADS, 250 ENVELOPES printed—\$1.50 postpaid. Universal Printing, Bay City, Mich.

BABY CHICKS

25 HAYES TRIPLE PURPOSE MATING CHICKS free with each 100 ordered. Guaranteed against loss ten days. Twenty varieties. Postpaid. 250,000 chicks weekly. 14 years' experience. 11 Hatcheries. Customers 43 States. Free catalog with full details. Hayes Brothers Hatchery, Decatur, Illinois.

BLOODTESTED CHICKS. ALL BREEDS. IMMEDIATE delivery. Low Wholesale Prices C.O.D. Midwest Hatchery, Box 155, Clinton, Mo.



Mrs. N. A. Atz

THOUSANDS HATCHING weekly in 17 varieties. This is our eighth year to bloodtest to eradicate disease. Also "Snaps or Bargain Seekers." Beautiful catalogue free for the asking. We guarantee the quality with 100% alive delivery prepaid. Will send C.O.D. Atz's Hatcheries, Milltown, Ind.

PEDIGREED BLOODTESTED R.O.P. BREEDERS with egg records, 200 up, produce our strong, husky chicks. Write for low new prices. Scheer's Electric Chickeries, Inc., Evansville, Indiana.

LOOK! CHICKS, DUCK-LINGS, BABY TURKEYS AND GOSLINGS of Finest Quality. Thousands weekly. Chicks Blood Tested. Lowest Price. Catalog Free, explaining.

NABOB POULTRY FARMS
Box A Gambier, Ohio

THOROUGHbred BLOODTESTED S. C. REDS. Barred Rocks \$7.00 per 100; White, Buff Rocks, White Wyandottes, Buff Orpingtons, White Minorcas \$7.50; White, Brown, Buff Leghorns, Anconas, Heavy Mixed \$6.50; Assorted \$5.00; Seconds \$4.00; Purebred Blood-tested chicks bred for broilers and layers. Hatching weekly. Guaranteed live arrival; Postage paid. Can ship C.O.D. Order direct from ad. Clover Valley Poultry Farm, Box 60, Ramsey, Indiana.



WONDERFUL POULTRY BOOK
NATION'S LOW CHICK PRICES tested, certified, triple culled flocks. 52 Varieties and SUPER-X HYBRIDS. Sensational money makers, livability guaranteed or liberal replacement. Write for NEW BOOK FREE, lowest prices, chicks, fowls, eggs, supplies.
BERRY'S POULTRY FARM, Box 106 CLARINDA, IOWA

C. O. D. ROCKS, REDS, WYANDOTTES, \$6.95. Brown, White Leghorns, Anconas, Heavy Mixed, \$6.50. Immediate shipment. Yesterlaid Farms, Mt. Healthy, Ohio.

BUFF LECHORNS

BUFF LECHORNS. BLOODTESTED. ACCREDITED. Literature. Mrs. E. F. Jones, Gallatin, Tenn.

WHITE WYANDOTTES

WHITE WYANDOTTES, REGAL DORCAS PEN EGGS. Pen Chicks. Mrs. Ben Schwartz, Freeburg, Mo.

SQUABS

Free Squab Book

Make money breeding P.R. Royal W.K. Squabs, cream of poultry, getting double chicken prices. Raised in 4 weeks. Send four cents stamps for postage on new free big 68-p. book, how to breed and profit 1933. Our 33rd year.
Plymouth Rock Squab Co., 155 H. St., Melrose, Mass.

TURKEYS

MAKE MONEY RAISING TURKEYS. CAN BE raised anywhere in confinement or on range. Learn all about them; modern scientific methods of breeding, hatching, raising and marketing through Turkey World, official publication of all breeders' associations. Sample copy 10c (coin). Subscription \$1.00 per year. Big Value. Satisfaction Guaranteed. Send dollar bill at our risk Today for Your subscription. Address: Turkey World, 445 So. Kenilworth Avenue, Elmhurst, Ill.

TOBACCO

BEST QUALITY MILDEST GOLDEN CIGARETTE Smoking or Mellow Long Red Leaf Chewing, 10 pounds either for only \$1.00. Satisfaction guaranteed. Pay when received. Morris Farms, Mayfield, Ky.

TRUCK COVERS

WATERPROOF TRUCK COVERS
GET OUR PRICES. BUY DIRECT. SAVE HALF.
Hoosier Tarpaulin Co., Dept. 3, Indianapolis, Ind.

New Apple Insect
in Empire State

THE SHARP-NOSED leafhopper (*Draculacephala mollipes*) is the newest apple insect to attack New York State orchards. So far, it has also been found in Wayne and Ontario counties, since its discovery in a Tompkins county orchard by college of agriculture students on a class field trip two years ago.

Prof. P. W. Claassen, whose class found the leafhopper, describes the injury to the fruit, "as though a small child dug his fingernails repeatedly through the apple skin." Some apples may have nearly a hundred of these crescent shaped punctures, each filled with about 20 eggs.

The leafhopper is known as the sharp-nosed leafhopper because of its peculiar elongated head. It is bright green in color and the adults are about one-quarter of an inch long. The female thrusts her sword-shaped blades of the egg-laying apparatus through the apple skin. Then she draws the blades back and forth, and since the blades have saw-teeth along the margin, she actually saws the crescent-shaped cut through the skin.

The insects lay eggs in the apples and small twigs, but seldom go higher than three feet from the ground. Where they are fully established, they may ruin practically all of the apples within the three-foot range. They start egg laying late in September and early in October, which gives the fruit grower a chance to pick the early varieties before the insect starts its damage. Clean cultivation of the orchard is the only suggested control so far advised, he says.

Test Shows Cyanamid
Keeps Soil Sweet

WHILE the average yields of apples over a period of five years, from trees fertilized with equal amounts of nitrogen supplied by three different carriers, were almost identical, the effect of these fertilizers on the reaction of the soil was markedly different—the pH of the cyanamid-treated soil at the end of the test being 6.8 (practically neutral) as compared with 4.6 (quite acid) for the soil fertilized with sulphate of ammonia.

These results were obtained in a large-scale experiment designed primarily to determine the efficiency of cyanamid under scientifically-controlled conditions, on the farm of Herbert Richardson, Wyoming, Del.

The experimental orchard consisted of a uniform block of trees which averaged from 14 to 15 years of age, and were 20 to 35 inches in circumference at the start of the experiment (1926). It contained the varieties Stayman, Rome, and Nero.

The treatments were replicated, and each included a large number of trees; in fact, from 10 to 15 times as many as are sometimes used in fruit experimentation. The rate of application was 1.07 pounds of nitrogen per tree, derived from each of the nitrogen carriers under test, respectively. All materials were broadcast under the spread of the branches early in the spring about two weeks before blooming.

"Spoilage of Stone Fruits on the Market," is the title of Circular 253, just issued by the U. S. Department of Agriculture. A study of car-lot inspection certificates of the Bureau of Agricultural Economics, shows the spoilage in transit to be largely caused by decay in the form of brown rot and Rhizopus rot, according to the circular.

SAVE MONEY ON
APPLES

Popular profitable new varieties —Medina, Red Rome, Macoun. Also McIntosh and 50 other varieties from New York State's largest fruit tree growers. All certified and GUARANTEED. Upland stock—hardy, vigorous. Also pears, plums, grapes, berries, shrubs, roses, evergreens, etc. Catalog offers 1,000 bargains. Write for free copy.

WE PAY SHIPPING COSTS
Maloney Brothers Nursery Co., Inc.
153 Main Street, Dansville, N. Y.

GROWERS for 49 YEARS



KITSELMAN FENCE

Horse-High, Bull-Strong, Pig-Tight Mill to you. We Pay Freight. You save every penny possible. We make own wire, weave it into fence and ship direct. Copper-Blend Steel Wire, 99 92/100 per cent pure zinc galvanized. Farm, Poultry and Lawn Fence, Steel Posts, Gates, Barbed Wire, Paints, Roofing. New 50th Anniversary Catalog FREE. Write today. Kitzelman Bros. Box 206, Muncie, Ind.




ARMY-NAVY Bargains

Haversacks .75 Cart. belt60
Machete-bolo . . \$1.50 Flint pistol . . . \$6.95
Army saddle . . \$9.85 M/L shot gun . . \$4.85
Springfield cal. 30/06 rifle, 24" barrel now \$16.50
1933 catalog, 364 pages of pistols, armor, guns, daggers, etc., mailed for 50 cents. New special circular for 3c stamp.
Established 1865.

Francis Bannerman Sons, 501 B'way, N. Y. City

don't WORRY

Why put up with years of needless discomfort and worry? Try a Brooks Automatic Air Cushion. This marvelous appliance permits the opening to close, yet holds rupture securely, comfortably—day and night. Thousands report amazing results. Light, neat fitting. No hard pads, metal girdle or parts to chafe or gouge. Patented in U. S. and 13 foreign countries. Try one 10 DAYS WITHOUT A PENNY'S RISK. You'll be delighted. Free book on Rupture and convincing facts mailed postpaid in plain sealed envelope. Address
BROOKS CO., 508 F State St., Marshall, Mich.

When You Come to the
FAIR


1933
A CENTURY OF PROGRESS
CHICAGO

Stay at the Morrison, in the "heart of the Loop"—near theaters, shops and railroad stations. World's tallest hotel—45 stories high. All rooms outside with bath, Servidor, bed-head reading lamp and circulating ice-water. Automatic garage facilities. A great hotel in a great city.


2500 ROOMS—\$2.50 UP
LEONARD HICKS, Managing Director

MORRISON HOTEL
Madison and Clark Sts., CHICAGO

SPRAY BETTER PROFIT MORE




WHEREVER fruit men make money you will find Hardie Sprayers because growers have learned by experience that



Tractor power take-off outfits.



Truck power take-off outfits.



Stationary sprayers in all capacities.



Row Crop Sprayers and combinations.

Branches at: Portland, Ore.;
Los Angeles, Calif.; Kansas City, Mo.

HARDIE

DEPENDABLE
SPRAYERS

It pays to spray

NPC

NICOTINE

SULPHATE 40%

NICOTINE PRODUCTION CORPORATION, CLARKSVILLE, TENNESSEE

nothing less than Hardie big capacity, high pressure, dependability and stamina assure the complete, efficient spray application absolutely necessary to high-quality crops.

When you need a sprayer you need a Hardie. No matter how little or big your orchard may be there is a Hardie built to exactly meet your needs. Power outfits operated by tractor, truck, gas engine and electric motor. Capacity from 3 gallons per minute at 300 pounds pressure to 35 gallons at 650 pounds pressure. Write for catalog.

THE HARDIE
MANUFACTURING CO.
Hudson, Mich.

The 1933 Apple Outlook

(From Page Nine)

trees in commercial orchards in the Eastern States were under 19 years of age, and the census figures of 1930 indicated that 20 per cent of the trees were yet to come into bearing. Shortly after the World War, there was considerable planting of some of the more popular varieties. A decided effort was made in some sections to improve orchard practices and management. The result is that the commercial orchards in the region today, on the whole, are perhaps better suited to the economical production of fruit than was the case 10 or 20 years ago. The nearness to large consuming centers of many apple districts of the Eastern States is an encouraging factor to Eastern producers, especially under present economic conditions.

During the last three years there has been a steady decline in apple prices to growers, owing largely to the rapid shrinkage of consumer purchasing power, some reduction in foreign demand, and the decline in commodity prices. The average farm price per bushel of apples on December 15, 1930, was \$0.99; on December 15, 1931, about \$0.65; and on December 15, 1932, \$0.62.

Since 1929 the cost of some factors of production has declined, as roughly indicated by the following: In the fall of 1932, farm wages in the United States were 52 per cent less than in the fall of 1929; fertilizer prices to farmers were 25 per cent less; prices of barrels 25 to 40 per cent less; of boxes about 20 per cent less; and the general index of machinery prices to farmers was 9 per cent lower than in 1929. The average wholesale price at New York of powdered lead arsenate decreased 14 per cent during the 3 years, 1929-1932. On the other hand, the wholesale price at New York of lime-sulphur solution increased 7 per cent during the same period, and powdered and paste Bordeaux mixture increased 13 and 20 per cent, respectively. In general, transportation charges for rail shipments of apples have remained about stationary during the last three years.

In the five seasons 1926-27 to 1930-31, apple exports from the United States have averaged 16,480,000 bushels, or one-sixth of the total commercial crop. About one-seventh of the commercial barreled-apple crop (including apples in baskets) and one-fifth of the commercial boxed crop were exported during this period.

Exports, as far as quantity is concerned, during the first six months of the 1932-33 season have been about or a little below normal for the size of the crop. These exports have amounted to the equivalent of 8,800,000 bushels, or 10.4 per cent of the commercial apple crop. This compares with 9.6 per cent of the 1931-32 crop and 12.4 per cent of the 1930-31 commercial crop exported in the corresponding months of those seasons. Prospects for the second half of the 1932-33 season appear more encouraging from the supply side than they were during the first six months as European home-grown supplies are practically exhausted. Demand conditions, however, are still at a low level so that prices anything like those which, in the past, resulted from such very short apple supplies as this year seem very unlikely.

As to the long-time export situation, world apple production outside of the United States appears to be on a slightly upward trend. This has resulted in a slight increase in the quantity of apples entering into world trade. Fortunately, there has been an increase in the demand for apples which has tended to offset the increased world supplies. On the other hand, the policy of protecting home industries has made rapid strides in recent years in

many of the chief importing countries. This policy has led to trade-restrictive measures designed to protect home industries. The future of the United States apple export trade will depend to a large extent on the success achieved in stimulating production in foreign countries. Any large diminution in apple exports will adversely affect the future of the American apple industry.

The restrictions of foreign outlets for American apples by embargo, quota, and sanitary regulations, make it absolutely necessary for apple growers and American exporters to make every effort to see that only sound fruit of the better grades is exported.

Oil Emulsions for Scale

(From Page Five)

dormant season. It is very important to cover every part of the tree with the emulsion, as the spray kills only where it hits the scale, and portions of a tree not covered may result in the whole tree, and possibly the whole orchard, being reinfested. The soap emulsions should be used with soft water. The casein emulsion can be used with either soft or hard water. If the soap emulsion breaks down in hard water, add 1/4-1/4-50 Bordeaux mixture to the water before putting in the stock emulsion. Tanks that have been used for lime-sulphur spraying must be thoroughly cleaned before they are used for oil-emulsion spraying. Lime-sulphur residue may be removed by running a strong solution of caustic soda through the pumps and by scrubbing the inside of the tank with caustic soda. Examine the stock emulsion for free oil before and after adding water, as free oil indicates the emulsion is unfit for use and should be discarded or reworked. Never let the stock emulsion freeze; it will freeze at a temperature only slightly below the freezing point of pure water.

Apple Marketing Gives Unemployment Relief

A GROUP of 65 unemployed men in Worcester, Mass., were set up in the apple selling business in the winter of 1930-31, assisted by the Worcester County Extension service, the Chamber of Commerce, and the city welfare board. Fred E. Cole, fruit specialist of the county extension service, sponsored the project and supervised its operation. An unemployed man with executive experience was made superintendent of the business; an unemployed bookkeeper kept the accounts, and an unemployed truckman and truck were engaged to make deliveries to the vendors.

Each vendor was assigned a stand at some point in the city or at a factory on the outskirts. Only apples of the highest quality were sold. From December to April, sales aggregated 4,255 bushels of locally grown apples and about 145 boxes of oranges, grossing \$20,474. The vendors had a profit of \$11,229. The following winter, the force of vendors had to be reduced to 30, because many of the factories were closed, but sales amounted to a little more than \$15,000, with profits of almost \$6,500 to the vendors.

If we understand the experts correctly, rigid economy is the process by which we cut down expenses so that we can produce more cheaply and easily the things we have too many of already.—*The South African Fruit Grower.*


Stop Scab Losses

...surely, SAFELY and economically with the
NEW

Apple Dritomic

REG. U.S. PAT. OFF.

SULPHUR



The New Growing Season FUNGICIDE for

● It Actually Arrests
Scab Development

● Free from Caus-
tic Tendencies

● Improves Color and
Finish of Pome Fruits

*all
Pome
fruits*

APPLE and pear growers have been awaiting a SULPHUR FUNGICIDE sufficiently potent to control apple scab attack, yet free from caustic tendencies even at Summer temperatures. IT IS HERE! The new Orchard Brand APPLE DRITOMIC Sulphur completely arrests scab spore development and can be used as a CURATIVE as well as a PREVENTATIVE. Of its efficiency, we have the completely satisfying evidence of field trials through 1928-29-30-31 and 32...APPLE DRITOMIC showed 20% better scab control than Liquid Lime Sulphur (applied 1 to 40). It caused no injury, and was markedly superior in lasting qualities. This new Summer fungicide should be used at the cluster bud spraying and included in your calyx and cover applications. It is perfectly compatible with Arsenate of Lead and, because of its spreading power, effects more even distribution, better coverage and better retention of the arsenical...This Summer sulphur spray is an effective control for red spiders and mites in those sections where these pests are prevalent. Use it from "Cluster Bud" through your cover sprayings.

APPLE DRITOMIC has the further advantage of imparting IMPROVED FINISH AND COLOR to the fruit. And the finish remains, whether or not the fruit is washed for the removal of spray residue...The apple and pear growers of America will quickly convince themselves that APPLE DRITOMIC is the high efficiency, safe fungicide they have been looking for.



Oil Emulsion 83
Lime Sulphur Solution
Dry Lime Sulphur
Bordeaux Mixture
Arsenate of Lead
Calcium Arsenate
Arsenite of Zinc
Dritomic Sulphur
Bordeaux Dust
Sulphur Dusts
Nicotine Sulphate 40%
Paradichlorobenzene

-----clip the Coupon-----

GENERAL CHEMICAL COMPANY, 40 Rector Street, New York

Providence, Buffalo, Philadelphia, Chicago, Kansas City, St. Louis,
Montezuma (Ga.), Minneapolis, Los Angeles, San Francisco, Seattle

Send me your ☐ Apple Dritomic Sulphur Folder

☐ Cash Crops for 1933

Name.....

Address.....

what price fancy?



A BUMPER CROP at picking time does not necessarily mean profits. "Extra Fancy" is the goal of successful growers... clean, sound, high color fruit. Because the supply of "Extra Fancy Grade" is seldom equal to the demand, premium prices always prevail.

Spraying is the most important thing the grower does to insure the maximum of first grade fruit. GRASSELLI Spray and Dust Mixtures are preferred by successful growers because of...

1. Unvarying uniformity of product.
2. Degree of fineness—hence better coverage and insect control.
3. Freedom from grit and foreign matter.
4. Elimination of clogging of nozzles and screens.
5. No excessive wear on spray disc due to coarseness.
6. Increased wettability and ease of mixing.
7. Improved suspension and adhesive qualities.
8. Convenient size packages that are easily opened.

Use Grasselli Mixtures in your spray schedule this year for best results. There's a Grasselli dealer near you... or write us.

THE GRASSELLI CHEMICAL COMPANY

Founded 1839

Incorporated

Cleveland, Ohio

Arsenate of Lead • Calcium Arsenate • Lime Sulphur • Kleanup Oil • Sulphate of Nicotine • Bordeaux Mixture



Casein Spreader • Sulfuron • Flake Zinc Sulphate • and a Complete Line of Spray and Dust Mixtures.

DUTOX

A Non-Arsenical Insecticide for controlling codling moth... also beetles and leaf-eating insects. Write us for folder.

Grasselli Grower's Guide FREE

The Grasselli Chemical Co., Adv. Dept.
629 Euclid Ave., Cleveland, O.
Please send copy of "Grasselli Grower's Guide."

Name _____

Town _____

R. D. _____ State _____

My Dealer is _____

His Address _____

GRASSELLI GRADE
A standard held high for 94 years

